

PRODUCT DATA

SIL-X FG AEROSOL Food Grade (H1) Silicone Spray

DESCRIPTION

A heat stable, non-staining, pure, dry silicone film that lubricates moving parts in food processing and packaging plants. Ideal for use on tables, conveyors, heat sealing and slicing equipment. Dry silicone formula prevents jamming and production slowdown on bottling and packaging lines. Can also be used on non-food contact surfaces of ovens and grills to prolong time between cleanings.

FEATURES

- High Viscosity
- Fast Drying Film
- No Chlorinated Solvents
- Recommended for Incidental Food Contact on Food Processing and Packaging Equipment
- Heat Stable from -40°F to 285°F
- Safe On Plastic
- Non Staining

DIRECTIONS

- SHAKE WELL BEFORE USING.
- Spray onto clean, dry surface and allow about 60 seconds to dry.
- Product leaves pure silicone film which lubricates moving parts and reduces production line jamming

APPLICATIONS

For use on Conveyors, Ovens, Slicing Equipment, Heating and Sealing Equipment, Scrambler Tables, Guide Rails.

TECHNICAL DATA

State: Liquid

Flashpoint: Positive flame extension. Labelled Flammable

Temperature Range: -40°F to 285°F

PRECAUTIONS

WARNING: Contents under pressure. Extremely flammable. Eye irritant. **PRECAUTIONS:** Avoid contact with eyes and skin. Use in a well-ventilated area. Do not puncture or incinerate container. Do not store at temperatures above 49°C. **KEEP OUT OF THE REACH OF CHILDREN. FIRST AID:** If in contact with skin, flush with water. Call a doctor if irritation develops. If in contact with eyes, immediately flush with water for 15 minutes. Call a physician. If ingested, do not induce vomiting. Contact physician immediately. READ THE MATERIAL SAFETY DATA SHEET (MSDS) BEFORE USING THIS PRODUCT. For industrial and institutional use only.

GUARANTEE

Cantol guarantees its products, when used as directed, to do all it claims. Should the product fail to demonstrate our claims, the remaining material may be returned to us and no charge will be made.